KitchenAid®
COMMERCIAL

COMMERCIAL KITCHEN APPLIANCES

POWER. STRENGTH. VERSATILITY.

KitchenAid® Commercial equipment is NSF® certified and built to withstand heavy use in a commercial environment. The product portfolio includes stand mixers, blenders and immersion blenders.

Small enough to sit on the counter. Big enough to power any dream.

POWER. STRENGTH. VERSATILITY.

ENCLOSURE
BLENDER

BEVERAGE
BLENDER

CULINARY
BLENDER

300 IMMERSION
BLENDER

400 IMMERSION
BLENDER

8-QT BOWL LIFT
STAND MIXER

8 QT. BOWL LIFT
STAND MIXER WITH BOWL GUARD

COMMERCIAL

ENCLOSURE BLENDER

KSBC1B2

VENTED LID WITH INGREDIENT MEASURING CAP

Secure-fitting lid adds extra ease of use and helps to minimize spills when blending.

QUIET OPERATION

Lift-up sound enclosure helps reduce noise while blending.

REMOVABLE SILICONE STABILIZER JAR PAD

Holds blender jar securely on the base for added stability.

POWERFUL 3.0 PEAK HP MOTOR*

Designed to deliver consistent power even with the toughest ingredients.

TAMPER (included)

60-OZ. BPA-FREE JAR

The right capacity for small or large batches. Beveled corners allow clean pouring from three sides.

UNIQUE ASYMMETRICAL BLADE DESIGN

Blends at four different angles to pull ingredients into the blending vortex.

SIMPLE CONTROLS, LESS HASSLE

For quick, easy operation: high, medium and low speeds, pulse and variable timer control.

KitchenAid 2 YEAR COMMERCIAL LIMITED WARRANTY

MODELS

MODEL #	COLOR	UPC
KSBC1B2CU	Contour Silver	883049486413
KSBC1B2BM	Matte Black	883049486406

MODEL #	ACCESSORIES**	UPC
KSBC60S	60-oz. Standard Jar	883049410432
KSBC56D	56-oz. Thermal Control Jar	883049410449
KSBC9FT	Flex Edge Tamper	883049432205

MOTOR SPECIFICATIONS

WATTS	POWER	VOLTAGE	AMPS	HERTZ
1800	3.0 Peak HP*	120 V	150 A	60 Hz

DIMENSIONS (inches/pounds)

HEIGHT	WIDTH	DEPTH	WEIGHT
18.8	10.1	12.2	26.5

NSF c UL us AMERICA DESIGNED AND ASSEMBLED IN THE U.S.A.

- **QUIET OPERATION** NSF® certified lift-up sound enclosure helps reduce noise while blending – ideal for commercial environments where consumers are present. Enclosure is removable, making cleanup quick and easy.
- **SMOOTH, CONSISTENT TEXTURE** Unique asymmetrical blade design + motor combine to deliver the perfect blend that pulls ingredients into the vortex at four different angles.
- **OPTIMAL BLENDING SPEED** Intelli-Speed® Motor Control senses contents and maintains optimal speed to power through all ingredients.
- **LASTING QUALITY** High-quality, die-cast metal construction of the base, dial, enclosure handle and switches makes them easy to clean and built to last and withstand heavy use in a commercial environment.
- **60-OZ. BPA-FREE JAR** is the right capacity for small or large batches. Designed and engineered for optimal performance, leveraging the powerful motor and unique blade design. Beveled corners for clean pouring from three sides.
- **TAMPER** pushes ingredients down into the blending vortex to ensure even blending.
- **VARIABLE TIMER CONTROL** ranges from 5-60 seconds, starts at a low RPM for thorough ingredient incorporation, and ramps up to a high speed.
- **6' DETACHABLE POWER CORD** can be easily replaced without the need for a service call.
- **2 YEAR LIMITED WARRANTY*** ** 2-Year Limited Hassle-Free warranty for blender base and enclosure.
- **INCLUDES** Blender Base, Blender Jar with lid and Enclosure.

*Motor horsepower for our commercial blender motors was measured using a dynamo meter, a machine laboratories routinely use to measure the mechanical power of motors. Our 3.0-horsepower (HP) motor reference reflects the horsepower rating of the motor itself and not the commercial blender's horsepower output to the blending vessel. The output horsepower to the blending vessel will be somewhat reduced.
**Sold separately
***Visit international.kitchenaid.com for warranty details.

KitchenAid® COMMERCIAL

COMMERCIAL

BEVERAGE BLENDER

KSBC1B0

VENTED LID WITH INGREDIENT MEASURING CAP

Secure-fitting lid adds extra ease of use and helps to minimize spills when blending.

60-OZ. BPA-FREE JAR

The right capacity for small or large batches. Beveled corners allow clean pouring from three sides.

UNIQUE ASYMMETRICAL BLADE DESIGN

Blends at four different angles to pull ingredients into the blending vortex.

REMOVABLE SILICONE STABILIZER JAR PAD

Holds blender jar securely on the base for added stability.

DIE-CAST METAL BASE, DIAL AND SWITCHES

Premium components provide added durability to withstand heavy use in commercial environments and are easy to clean.

POWERFUL 3.5 PEAK HP MOTOR*

Designed to deliver consistent power even with the toughest ingredients.

SIMPLE CONTROLS + ICY-DRINK PROGRAM

Quick operation reduces prep time and increases speed of service:

- High, medium, low
- Enhanced variable timer function (5-60 seconds)

FLEX EDGE TAMPER (included)

MODELS

MODEL #	COLOR	UPC
KSBC1B0CU	Contour Silver	883049409719
KSBC1B0BM	Matte Black	883049421629

MODEL #	ACCESSORIES**	UPC
KSBC60S	60-oz. Standard Jar	883049410432
KSBC56D	56-oz. Thermal Control Jar	883049410449
KSBC9FT	Flex Edge Tamper	883049432205

MOTOR SPECIFICATIONS

WATTS	POWER	VOLTAGE	AMPS	HERTZ
1800 W	3.5 Peak HP*	120 V	150 A	60 Hz

DIMENSIONS (inches/pounds)

HEIGHT	WIDTH	DEPTH	WEIGHT
17.8	9.0	11.4	19.7

NSF c UL us AMERICA DESIGNED AND ASSEMBLED IN THE U.S.A.

- **POWERFUL 3.5 PEAK HP MOTOR*** Designed to deliver consistent power even with the toughest ingredients.
- **SMOOTH, CONSISTENT TEXTURE** Unique asymmetrical blade design + motor combine to deliver the perfect blend that pulls ingredients into the vortex at four different angles.
- **BLENDS A MARGARITA IN 22 SECONDS** Powerful motor and blade perfectly blend a 40-ounce margarita in 22 seconds.
- **SIMPLE CONTROLS** Enhanced variable timer function (5-60 seconds) includes a slow start to process thick ingredients before ramping up to high speed.
- **60-OZ. BPA-FREE JAR** is the right capacity for small or large batches. Designed and engineered for optimal performance, leveraging the powerful motor and unique blade design. Beveled corners for clean pouring from three sides.
- **FLEX EDGE TAMPER** pushes ingredients down into the blending vortex to ensure even blending.
- **6' DETACHABLE POWER CORD** can be easily replaced without the need for a service call.
- **3-YEAR LIMITED HASSLE-FREE WARRANTY FOR BLENDER BASE*****
- **INCLUDES** Blender Base, Blender Jar with lid and Flex Edge Tamper.

*Motor horsepower for our commercial blender motors was measured using a dynamo meter, a machine which laboratories routinely use to measure the mechanical power of motors. Our 3.5-horsepower (HP) motor reference reflects the horsepower rating of the motor itself and not the commercial blender's horsepower output to the blending vessel. The output horsepower to the blending vessel will be somewhat reduced.
**Sold separately
***Visit international.kitchenaid.com for warranty details.

KitchenAid® COMMERCIAL

COMMERCIAL

CULINARY BLENDER

KSBC2F1

VENTED LID WITH INGREDIENT MEASURING CAP

Secure-fitting lid adds extra ease of use and helps to minimize spills when blending.

60-OZ. BPA-FREE JAR

The right capacity for small or large batches. Beveled corners allow clean pouring from three sides.

UNIQUE ASYMMETRICAL BLADE DESIGN

Blends at four different angles to pull ingredients into the blending vortex.

REMOVABLE SILICONE STABILIZER JAR PAD

Holds blender jar securely on the base for added stability.

DIE-CAST METAL BASE, DIAL AND SWITCHES

Premium components provide added durability to withstand heavy use in commercial environments and are easy to clean.

POWERFUL 3.5 PEAK HP MOTOR*

Designed to deliver consistent power even with the toughest ingredients.

SIMPLE CONTROLS + COULIS PROGRAM

Quick operation reduces prep time and increases speed of service:

- High, medium, low

Enhanced variable timer function (5-60 seconds)

FLEX EDGE TAMPER (included)

KitchenAid 3 YEAR COMMERCIAL LIMITED WARRANTY

MODELS

MODEL #	COLOR	UPC
KSBC2F1DP	Dark Pewter	883049414379
KSBC2F1BM	Matte Black	883049429731

MODEL #	ACCESSORIES**	UPC
KSBC60S	60-oz. Standard Jar	883049410432
KSBC56D	56-oz. Thermal Control Jar	883049410449
KSBC9FT	Flex Edge Tamper	883049432205

MOTOR SPECIFICATIONS

WATTS	POWER	VOLTAGE	AMPS	HERTZ
1800 W	3.5 Peak HP*	120 V	150 A	60 Hz

DIMENSIONS (inches/pounds)

HEIGHT	WIDTH	DEPTH	WEIGHT
17.8	9.0	11.4	19.7

NSF c UL us AMERICA DESIGNED AND ASSEMBLED IN THE U.S.A.

- **POWERFUL 3.5 PEAK HP MOTOR*** Designed to deliver consistent power even with the toughest ingredients.
- **SMOOTH, CONSISTENT TEXTURE** Unique asymmetrical blade design + motor combine to deliver the perfect blend that pulls ingredients into the vortex at four different angles.
- **PROGRAMMABLE COULIS CYCLE** takes 1,000 grams of fluid gels to a satin smooth coulis in one single step.
- **SIMPLE CONTROLS** Enhanced variable timer function (5-60 seconds) includes a slow start to process thick ingredients before ramping up to high speed.
- **60-OZ. BPA-FREE JAR** is the right capacity for small or large batches. Designed and engineered for optimal performance, leveraging the powerful motor and unique blade design. Beveled corners for clean pouring from three sides.
- **FLEX EDGE TAMPER** pushes ingredients down into the blending vortex to ensure even blending.
- **6' DETACHABLE POWER CORD** can be easily replaced without the need for a service call.
- **3-YEAR LIMITED HASSLE-FREE WARRANTY FOR BLENDER BASE*****
- **INCLUDES** Blender Base, Blender Jar with lid and Flex Edge Tamper.

*Motor horsepower for our commercial blender motors was measured using a dynamo meter, a machine which laboratories routinely use to measure the mechanical power of motors. Our 3.5-horsepower (HP) motor reference reflects the horsepower rating of the motor itself and not the commercial blender's horsepower output to the blending vessel. The output horsepower to the blending vessel will be somewhat reduced.
**Sold separately
***Visit international.kitchenaid.com for warranty details.

KitchenAid® COMMERCIAL

COMMERCIAL

300 SERIES IMMERSION BLENDER

KHBC300



2 SPEEDS

11,000 and 18,000 RPM for added versatility.

VERSATILE

One-handed operation.

DC MOTOR

Quiet yet powerful enough to handle difficult blending with ease, including dough.

REMOVABLE BL

Available in 8", 1

S-SHAPED BLADE

For high performance general mixing and blending.

WALL MOUNT (INCLUDED)

MODELS

MODEL #	IMMERSION BLENDERS	UPC
KHBC308OB	8" Immersion Blender	883049434803
KHBC310OB	10" Immersion Blender	883049435909
KHBC312OB	12" Immersion Blender	883049435954

MODEL #	ACCESSORIES*	UPC
KHBC10WER	10" Whisk Attachment	883049350370
KHBC08MER	8" Blending Arm Only	883049350332
KHBC10MER	10" Blending Arm Only	883049350660
KHBC12MER	12" Blending Arm Only	883049350325

MOTOR SPECIFICATIONS

WATTS	POWER
350 W	DC

MAX BLEND VOLUME

MODEL #	VOLUME
KHBC308OB	3 gal. / 11.4 L
KHBC310OB	6 gal. / 22.7 L
KHBC312OB	9 gal. / 38.0 L

BLEND SPEEDS

SPEED	RPM
SPEED 1	11,000 RPM
SPEED 2	18,000 RPM

DIMENSIONS (inches/pounds)

MODEL#	HEIGHT	WIDTH	DEPTH	WEIGHT
KHBC308OB	22.05	3.54	2.95	3.53
KHBC310OB	22.05	3.54	2.95	3.53
KHBC312OB	22.05	3.54	2.95	3.53

- **DC MOTOR** Quiet yet powerful enough to handle difficult blending with ease, including dough.
- **WALL MOUNT** Included for easy storage.
- **DISHWASHER-SAFE** blending arms.
- **2 YEAR HASSLE FREE WARRANTY****
- **INCLUDES** Immersion Blender Base, Blending Arm and Wall Mount.

*Sold separately
**Visit international.kitchenaid.com for warranty details.

KitchenAid® COMMERCIAL

COMMERCIAL

400 SERIES IMMERSION BLENDER

KHBC400

SECOND HANDLE AND PROTECTIVE GRIP

For blending control and leverage.

VARIABLE SPEED 1HP MOTOR*

Changes speeds while in use for all of your blending needs.

REMOVABLE BLENDING ARMS

Available in 12", 14", 16", 18"and 20" lengths.

S-SHAPED BLADE

For high performance, general mixing and blending.

BOWL CLAMP (INCLUDED)

CARRYING CASE (INCLUDED)

KitchenAid 2 YEAR COMMERCIAL LIMITED WARRANTY

MODELS

MODEL #	IMMERSION BLENDERS	UPC
KHBC412OB	12" Immersion Blender	883049396132
KHBC414OB	14" Immersion Blender	883049396149
KHBC416OB	16" Immersion Blender	883049396156
KHBC418OB	18" Immersion Blender	883049396163
KHBC420OB	20" Immersion Blender	883049396170

MODEL #	ACCESSORIES**	UPC
KHBC110WSS	10" Whisk Attachment	883049396231
KHBC112MSS	12" Blending Arm Only	883049396187
KHBC114MSS	14" Blending Arm Only	883049396194
KHBC116MSS	16" Blending Arm Only	883049396200
KHBC118MSS	18" Blending Arm Only	883049396217
KHBC120MSS	20" Blending Arm Only	883049396224
KHBC400WMB	Wall Mount Bracket	883049459578

MOTOR SPECIFICATIONS

WATTS	POWER
750 W	1 HP*

MAX BLEND VOLUME

BLENDING ARM	VOLUME
12" Arm	10 gal. / 38.0 L
14" Arm	14 gal. / 53.3 L
16" Arm	18 gal. / 68.6 L
18" Arm	22 gal. / 83.9 L
20" Arm	26 gal. / 99.2 L

BLEND SPEEDS

SPEED	RPM
SPEED 1	11,000 RPM
SPEED 2	18,000 RPM

DIMENSIONS (inches/pounds)

MODEL#	HEIGHT	WIDTH	DEPTH	WEIGHT
KHBC412OB	35.43	5.12	4.13	9.83
KHBC414OB	35.43	5.12	4.13	9.83
KHBC416OB	35.43	5.12	4.13	9.83
KHBC418OB	35.43	5.12	4.13	9.83
KHBC420OB	35.43	5.12	4.13	9.83

- **VARIABLE SPEED 1HP MOTOR*** Changes speeds while in use for all of your blending needs.
- **18,000 RPM TOP SPEED** Great for purees, whipping cream and emulsifying.
- **9,000 RPM LOW SPEED** To stir and blend smoothly.
- **BOWL CLAMP** Included for a secure, continuous run while in use.
- **CARRYING CASE** Included to protect immersion blender.
- **CORD WRAP** Helps to manage cord length for ease of use.
- **2 YEAR HASSLE FREE WARRANTY*****
- **INCLUDES** Immersion Blender Base, Blending Arm, Bowl Clamp and Carrying Case.

*Motor horsepower for our immersion blender motors was measured using a dynamometer, a machine laboratories routinely use to measure the mechanical power of motors. Our 1.0-horsepower (HP) motor reference reflects the horsepower rating of the motor itself and not the immersion blender's horsepower output to the blending vessel. The output horsepower to the blending vessel will be slightly less than 1.0HP.
**Sold separately
***Visit international.kitchenaid.com for warranty details.

KitchenAid® COMMERCIAL

COMMERCIAL

8-QT BOWL LIFT STAND MIXER

KSM8990

ALL-METAL

Precise gear and housing design produces a smooth, quiet sound.

1.3 HP HIGH-EFFICIENCY DC MOTOR*

Designed to run longer and deliver optimum torque with less heat buildup. Easily handles recipes requiring longer mixing, kneading and whipping times.

SPEED CONTROL PROTECTION

Reduces the risk of accidentally turning on the mixer when wiping it clean

LARGE CAPACITY

Easily mixes recipes with up to 16 cups of flour, 13 dozen cookies, or 8¼ loaves of bread in a single bowl.

STAINLESS STEEL

Flat Beater, 11-Wire Elliptical Whisk and Spiral Dough Hook are dishwasher-safe.

COMMERCIAL BOWL-LIFT DESIGN

Provides sturdy bowl support for stability when mixing heavy ingredients or large batches.

MODELS

MODEL #	COLORS	UPC
KSM8990DP	Dark Pewter	883049286419
KSM8990ER	Empire Red	883049280783
KSM8990OB	Onyx Black	883049280790
KSM8990WH	White	883049279831

MODEL #	ACCESSORIES**	UPC
KSMC8QBOWL	8-Quart Bowl	883049288246
KSMC7QBOWL	7-Quart Bowl	883049254623
KSMC5QBOWL	5-Quart Bowl	883049288253
KSMC7QDH	SS Dough Hook	883049254456
KSMC7QEW	SS Elliptical Whisk	883049254449
KSMC7QFB	SS Flat Beater	883049254449

MOTOR SPECIFICATIONS

WATTS	POWER	VOLTAGE	HERTZ
500 W	1.3 HP*	120 V	60 Hz converted to 15.000x per sec.

DIMENSIONS (inches/pounds)

HEIGHT	WIDTH	DEPTH	WEIGHT
16.5	13.3	14.6	25

AMERICA
DESIGNED AND ASSEMBLED IN THE U.S.A.

- **1.3 HP HIGH-EFFICIENCY DC MOTOR*** Designed to run longer and deliver optimum torque with less heat buildup. Easily handles recipes requiring longer mixing, kneading and whipping times.
- **LARGE CAPACITY** Easily mixes recipes with up to 16 cups of flour, 13 dozen cookies, or 8¼ loaves of bread in a single bowl.
- **POWERCORE® TECHNOLOGY** Delivers consistent power while reducing heat buildup for long-lasting performance.
- **SPEED CONTROL PROTECTION** Reduces the risk of accidentally turning on the mixer when wiping it clean.
- **2 YEAR HASSLE FREE WARRANTY*****
- **INCLUDES** Bowl Lift Stand Mixer, 8-Quart Bowl with stackable handle, Flat Beater, 11-Wire Elliptical Whisk, Spiral Dough Hook.

*Motor horsepower for our mixer motors was measured using a dynamo meter, a machine which laboratories routinely use to measure the mechanical power of motors. Our 1.3-horsepower (HP) motor reference reflects the horsepower rating of the motor itself and not the mixer's horsepower output to the mixer bowl.
**Sold separately
***Visit international.kitchenaid.com for warranty details.

KitchenAid® COMMERCIAL

COMMERCIAL

8-QT BOWL LIFT STAND MIXER WITH BOWL GUARD

KSM895

ALL-METAL

Precise gear and housing design produces a smooth, quiet sound.

1.3 HP HIGH-EFFICIENCY DC MOTOR*

Designed to run longer and deliver optimum torque with less heat buildup. Easily handles recipes requiring longer mixing, kneading and whipping times.

SPEED CONTROL PROTECTION

Reduces the risk of accidentally turning on the mixer when wiping it clean

STAINLESS STEEL BOWL GUARD

Provides added safety, keeps objects from entering the mixer during operation.

LARGE CAPACITY

Easily mixes recipes with up to 16 cups of flour, 13 dozen cookies, or 8¼ loaves of bread in a single bowl.



STAINLESS STEEL

Flat Beater, 11-Wire Elliptical Whisk and Spiral Dough Hook are dishwasher-safe.

COMMERCIAL BOWL-LIFT DESIGN

Provides sturdy bowl support for stability when mixing heavy ingredients or large batches.

MODELS

MODEL #	COLORS	UPC
KSM895DP	Dark Pewter	883049332888
KSM895ER	Empire Red	883049332864
KSM895OB	Onyx Black	883049332871
KSM895WH	White	883049332857

MODEL #	ACCESSORIES**	UPC
KSMC8QBOWL	8-Quart Bowl	883049288246
KSMC7QBOWL	7-Quart Bowl	883049254623
KSMC5QBOWL	5-Quart Bowl	883049288253
KSMC7QDH	SS Dough Hook	883049254456
KSMC7QEW	SS Elliptical Whisk	883049254449
KSMC7QFB	SS Flat Beater	883049254449

MOTOR SPECIFICATIONS

WATTS	POWER	VOLTAGE	HERTZ
500 W	1.3 HP*	120 V	60 Hz

DIMENSIONS (inches/pounds)

HEIGHT	WIDTH	DEPTH	WEIGHT
16.5	13.3	14.6	25.5

- **STAINLESS STEEL BOWL GUARD** provides added safety, keeps objects from entering the mixer during operation.
- **1.3 HP HIGH-EFFICIENCY DC MOTOR*** Designed to run longer and deliver optimum torque with less heat buildup. Easily handles recipes requiring longer mixing, kneading and whipping times.
- **LARGE CAPACITY** Easily mixes recipes with up to 16 cups of flour, 13 dozen cookies, or 8¼ loaves of bread in a single bowl.
- **POWERCORE® TECHNOLOGY** Delivers consistent power while reducing heat buildup for long-lasting performance.
- **SPEED CONTROL PROTECTION** reduces the risk of accidentally turning on the mixer when wiping it clean.
- **2 YEAR HASSLE FREE WARRANTY*****
- **INCLUDES** Bowl Lift Stand Mixer, 8 Quart Bowl with stackable handle, Flat Beater, 11-Wire Elliptical Whisk, Spiral Dough Hook, Stainless Steel Bowl Guard.

*Motor horsepower for our mixer motors was measured using a dynamo meter, a machine which laboratories routinely use to measure the mechanical power of motors. Our 1.3-horsepower (HP) motor reference reflects the horsepower rating of the motor itself and not the mixer's horsepower output to the mixer bowl.
**Sold separately
***Visit international.kitchenaid.com for warranty details.

KitchenAid®
COMMERCIAL

kitchenaidcommercial.com
Commercial Warranty 800-584-4315
Authorized Service Center 800-541-6390

®/™ ©2019 KitchenAid. All rights reserved.
The shape of the stand mixer is registered in the U.S. and elsewhere.